

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
I1	184	(probe or monitor or detector or sensor) near4 (soil or ground).ab, ti. and (secur\$3 or stabili\$7 or hold\$3 or grasp\$3 or held) near5 (body or probe or detect or sensor) near3 (soil or ground)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 10:14
I2	4	(probe or monitor or detector or sensor) near4 (soil or ground).ab, ti. and (secur\$3 or stabili\$7 or hold\$3 or grasp\$3 or held) near5 (body or probe or detect or sensor) near3 (soil or ground) same rubber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 10:19
I3	6	(probe or monitor or detector or sensor) near4 (soil or ground).ab, ti. and (secur\$3 or stabili\$7 or hold\$3 or grasp\$3 or held) near5 (body or probe or detect or sensor) near3 (soil or ground) same ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 10:19
I4	26	(probe or monitor or detector or sensor) near4 (soil or ground).ab, ti. and (secur\$3 or stabili\$7 or hold\$3 or grasp\$3 or held or anchor\$3 or grip\$4 maintain\$4) near5 (body or probe or detector or sensor or monitor) near5 (soil or ground) same (rubber or ring or taper\$3 or narrow\$3 or gasket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 10:23

L5	8	(probe or monitor or detector or sensor) near4 (soil or ground).ab, ti. and annular near3 (projection\$ or protrusion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 10:27
L6	45	(probe or monitor or detector or sensor) near4 (soil or ground).ab, ti. and (secur\$3 or stabiliz\$3 or hold\$3 or grasp\$3 or held or anchor\$3 or grip\$4 maintain\$4 or prevent\$4) near5 (body or probe or detector or sensor or monitor) near5 (soil or ground) same (rubber or ring or taper\$3 or narrow\$3 or gasket protrusion or annular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 10:37
L7	19	6 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 10:37
S1	1549	wireless\$3 and (probe or monitor or detector or sensor) near3 (soil or ground) and (cap or top or lid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:13
S2	23112	wireless\$3 and (probe or monitor or detector or sensor) and (soil or ground) and (cap or top or lid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:14
S3	5590	wireless\$3 and (probe or monitor or detector or sensor).ab,ti. and (soil or ground) and (cap or top or lid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:14
S4	346	wireless\$3 and (probe or monitor or detector or sensor).ab,ti. and (soil or ground).ab,ti. and (cap or top or lid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:14
S5	0	(10/693017).APP.	USPAT; USOCR	OR	ON	2009/04/30 16:22
S6	0	(10/693017).APP.	USPAT; USOCR	OR	ON	2009/04/30 16:22

S7	4934	(probe or monitor or detector or sensor).ab, ti. and (soil or ground).ab, ti. and (cap or top or lid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:34
S8	20	S7 and (water or rain) near2 (damage or corrosion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:35
S9	5	S7 and gasket near3 (external\$3 or outer or outside)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:36
S10	46538	(probe or monitor or detector or sensor).ab, ti. and (soil or ground).ab, ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:37
S11	9	S10 and gasket near3 (external\$3 or outer or outside)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:37
S12	11	S10 and fin near3 (external\$3 or outer or outside)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:37
S13	7	S10 and vanes near3 (external\$3 or outer or outside)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:39
S14	915	S10 and (water or fluid or liquid) with (external \$3 or outer or outside)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:40
S15	502	S10 and (water or fluid or liquid) near5 (external \$3 or outer or outside)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:41

S16	27	S10 and (stabiliz\$3) near5 (external\$3 or outer or outside)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:41
S17	0	("2005/0178220").URPN.	USPAT	OR	ON	2009/04/30 16:42
S18	0	("2005/0178220").URPN.	USPAT	OR	ON	2009/04/30 16:42
S19	0	("2005/0178220").URPN.	USPAT	OR	ON	2009/04/30 16:42
S20	8463	S10 and (external\$3 or outer or outside)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:45
S21	1121	S10 and (external\$3 or outer or outside) near20 (flow or contact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:46
S22	825	S10 and (external\$3 or outer or outside) near7 (flow or contact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:46
S23	682	S10 and (external\$3 or outer or outside) near5 (flow or contact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:46
S24	176	S10 and (external\$3 or outer or outside) near5 (flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:47
S25	945	S10 and deflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 17:06
S26	25	S10 and (external\$3 or outer or outside) near5 deflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 17:06

S27	1285	S10 and protect\$3 near6 (sensor or detector or monitor or transducer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 17:09
S28	1262	S27 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 17:10
S29	1220	S28 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 17:10
S30	2778	S10 and (probe or monitor or detector or sensor) near3 (casing or body or case or shell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 17:11
S31	9030	(soil or ground) near3 (probe or monitor or detector or sensor).ab, ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 17:12
S32	1092	S31 and (cap or top or lid or enclosure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 17:12
S33	1012	S32 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 17:13
S34	992	S33 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 17:13
S35	530	S34 and (deflect\$3 or gasket or ring or protect \$4 or shield\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 17:14

S36	170	(probe or monitor or detector or sensor).ab, ti. and (soil or ground).ab, ti. and gasket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 10:12
S37	20	(probe or monitor or detector or sensor).ab, ti. and (soil or ground).ab, ti. and gasket near5 (outer or outside or external\$4 or perimeter or circumference or exterior\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 10:14
S38	49	(probe or monitor or detector or sensor) near3 (soil or ground) and gasket near5 (outer or outside or external\$4 or perimeter or circumference or exterior\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 10:17
S39	37	S38 not S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 10:18
S40	163	(probe or monitor or detector or sensor).ab, ti. and (soil or ground).ab, ti. and (taper\$3 or frustoconical\$4 or narrowing or seal) near5 (outer or outside or external\$4 or perimeter or circumference or exterior\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 10:41
S41	163	S40 not S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 10:41
S42	1048	(probe or monitor\$3 or detect\$3 or sens\$3) near2 (soil or ground) and (rubber or ring) near4 (outer or outside or external\$4 or perimeter or circumference or exterior\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 11:12

S43	69	(probe or monitor\$3 or detect \$3 or sens\$3) near2 (soil or ground).ab, ti. and (rubber or ring) near4 (outer or outside or external\$4 or perimeter or circumference or exterior\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 11:12
S44	61	S43 not S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 11:12
S45	82	(probe or monitor or detector or sensor) near4 (soil or ground).ab, ti. and (rubber or ring or gasket) near4 (outer or outside or external\$4 or perimeter or circumference or exterior\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 11:21
S46	40	S45 not S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 11:21
S47	1	"7240743".pn. and (rubber or gasket or seal \$3 or ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 11:26
S48	56	(probe or monitor or detector or sensor) near3 (soil or ground).ab, ti. and gasket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 11:30
S49	131	gasket near2 external \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 12:32

S50	20	(probe or monitor or detector or sensor) near4 (soil or ground).ab, ti. and (flared or taper\$3 or stabiliz\$4) near2 (outer or outside or external\$4 or perimeter or circumference or exterior\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 12:41
S51	6	(probe or monitor or detector or sensor) near4 (soil or ground).ab, ti. and (anchor\$3) near5 (outer or outside or external\$4 or perimeter or circumference or exterior\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 12:44
S52	65	(probe or monitor or detector or sensor) near4 (soil or ground).ab, ti. and (secur\$3) near5 (outer or outside or external\$4 or perimeter or circumference or exterior\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 12:45
S53	50	(probe or monitor or detector or sensor) near4 (soil or ground).ab, ti. and (secur\$3) near5 (body or probe or detect or sensor) near3 (soil or ground)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 12:47

5/5/09 1:32:49 PM